

## Vertical Storage Tanks with IMFO- HDXLPE

STOCK NO.	IMP GAL	APPROX O.D.	APPROX. HEIGHT	LID SIZE	IMFO SIZE
1100230	192	3'-2"	4'-11"	17"	3"
1100325	271	4'-0"	4'-8"	17"	3"
1100475	475	4'-0"	6'-4"	17"	3"
1100545	396	4'-0"	6'-11"	10"/19"	2"
1100680	566	4'-0"	8'-6"	17"	3"
1100850	708	4'-0"	10'-3"	10"/19"	2"
1100905	754	5'-4"	6'-7"	10"/19"	2"
1101150	958	5'-4"	8'-3"	10"/19"	3"
1101250	1041	5'-0"	9'-10"	17"	3"
1101400	1166	5'-4"	9'-11"	10"/19"	3"
1101600	1333	6'-1"	9'-1"	17"	3"
1101800	1500	8'-2"	6'-4"	24"	3"
1102000	1666	7'-1"	8'-6"	24"	3"
1102550	2124	7'-1"	10'-4"	24"	3"
1102800	2332	8'-2"	9'-5"	24"	3"
1103000	2500	7'-1"	12'-0"	24"	3"
1103900	3249	10'-0"	8'-9"	24"	4"
1103900	3249	7'-10"	12'-6"	24"	4" <b>D</b>
1104050	3374	8'-2"	12'-10"	24"	3"
1104150	3457	8'-6"	12'-6"	24"	3"
1104300	3582	11'-11"	7'-1"	24"	4"
1104550	3790	10'-0"	9'-11"	24"	4"
1105000	4165	8'-2"	15'-4"	24"	3"
1105050	4207	7'-10"	16'-0"	24"	4" <b>D</b>
1106100	5083	10'-0"	12'-7"	24"	4"
1106100	5083	8'-6"	16'-4"	24"	4" <b>D</b>
1106150	5125	10'-2"	12'-5"	24"	4"
1106600	5500	10'-0"	13'-7"	24"	4"
1106600	5500	11'-11"	10'-1"	24"	4"
1107100	5914	12'-0"	10'-9"	24"	4"
1107300	6081	10'-2"	14'-2"	24"	4"
1108050	6708	10'-0"	15'-6"	24"	4"
1108100	6750	11'-11"	11'-10"	24"	4"
1108350	6958	12'-0"	11'-11"	24"	4"
1108500	7083	10'-0"	16'-9"	24"	4"
1109150	7625	10'-0"	17'-7"	24"	4"
1110150	8458	11'-11"	14'-5"	24"	4"
1110300	8583	12'-0"	14'-4"	24"	4"
1112150	10125	12'-0"	16'-8"	24"	4"
1112150	10125	12'-0"	17'-1"	24"	4" <b>D</b>
1114950	12458	14'-0"	16'-10"	24"	4"

\* Contact us for details & pricing. **D** = Double IMFO® available

# Plastics America

## Vertical Storage Tanks with IMFO Sloped - HDXLPE



Our high density crosslinked polyethylene vertical tank with the seamless, one-piece designed IMFO® nozzle is a cost effective solution that provides a greater margin of safety and promotes longer tank life. Poly Processings IMFO® vertical tanks eliminate sludge buildup when storing chemicals like Sodium Hypochlorite and suspension materials. The IMFO® system's full drain feature improves process efficiency by reducing the frequency of cleanings and alleviates employee confined space entry.

### Handy Conversions

1 IMP. = 1.2 US Gallons  
 1 US Gallon = 0.833 IMP Gallons  
 1 IMP Gallon = 4.546 Litres  
 1 US Gallon = 3.785 Litres  
 1 Litre = 0.22 IMP Gallons  
 1 Cu. FT = 6.23 IMP Gallons  
 1 Cu. FT = 7.48 US Gallons  
[Click here for US to Imperial Gallon Conversions](#)

Download our Vertical Tank Product List.



Requires Adobe Reader.

Please email or call Plastics America for prices.

Toll Free: 1-800-563-8532.

STOCK NO.	IMP GAL	APPROX. O.D.	APPROX. HEIGHT	LID SIZE	IMFO SIZE
1201900	1583	8'-2"	7'-6"	24"	3"
1202900	2416	8'-2"	10'-1"	24"	3"
1203950	3292	10'-0"	9'-1"	24"	4"
1204100	3416	8'-6"	12'-11"	24"	3"
1204200	3500	8'-2"	13'-6"	24"	3"
1204550	3792	8'-2"	14'-6"	24"	3"
1204600	3833	10'-0"	10'-2"	24"	4"
1205150	4292	8'-2"	16'-1"	24"	3"
1205300	4416	12'-0"	8'-11"	24"	4"
1206250	5208	10'-0"	13'-1"	24"	4"
1206350	6292	10'-2"	12'-7"	24"	4"
1206840	5700	12'-0"	10'-6"	24"	4"
1206900	5750	10'-0"	14'-3"	24"	4"
1207900	6583	12'-0"	11'-8"	24"	4"
1208200	6833	10'-0"	16'-2"	24"	4"
1208800	7333	10'-0"	17'-3"	24"	4"
1209850	8208	12'-0"	14'-1"	24"	4"
1211800	9833	12'-0"	16'-6"	24"	4"
1215000	12500	14'-0"	17'-2"	24"	4"

\* Contact us for details & pricing.

# Plastics America

## Vertical Storage Tanks - HDXLPE



These premium plastic tanks are molded in one piece, with no seams or joints, of high density cross-linked polyethylene, a thermoset plastic. HDXLPE plastic tanks exhibit maximum repeated impact resistance at temperatures from -40°F. HDXLPE plastic tanks are used for concentrated sulfuric acid service. They are suitable for the toughest working environments and chemical service.

### Handy Conversions

1 IMP. = 1.2 US Gallons  
 1 US Gallon = 0.833 IMP Gallons  
 1 IMP Gallon = 4.546 Litres  
 1 US Gallon = 3.785 Litres  
 1 Litre = 0.22 IMP Gallons  
 1 Cu. FT = 6.23 IMP Gallons  
 1 Cu. FT = 7.48 US Gallons  
[Click here for US to Imperial Gallon Conversions](#)

STOCK NO.	IMP GAL	APPROX. O.D.	APPROX. HEIGHT	LID SIZE
1000030	25	1'-11"	2'-2"	12"
1000055	46	1'-11"	3'-5"	12"
1000060	50	1'-11"	3'-6"	7"
1000070	58	1'-11"	4'-1"	12"
1000095	79	1'-11"	5'-4"	12"
1000100	83	1'-11"	5'-7"	7"
1000110	92	2'-9"	2'-9"	12"
1000115	96	2'-6"	3'-11"	12"
1000155	129	2'-7"	4'-9"	7"
1000175	146	3'-2"	4'-0"	17"
1000205	171	2'-7"	6'-2"	7"
1000230	192	3'-2"	4'-11"	17"
1000230	192	3'-2"	4'-11"	10"/17"
1000235	196	2'-10"	5'-11"	10"/17"
1000235	196	2'-6"	7'-4"	12"
1000280	233	2'-10"	7'-0"	7"/10"
1000280	233	2'-10"	7'-0"	7"
1000281	234	2'-10"	7'-0"	7"/10"
1000295	246	3'-10"	4'-5"	7"
1000300	250	3'-6"	4'-3"	8"
1000320	267	4'-0"	4'-8"	10"/17"
1000325	271	4'-0"	4'-8"	17"
1000385	321	4'-0"	5'-4"	17"
1000400	333	3'-9"	5'-3"	8"
1000450	375	3'-10"	6'-1"	7"
1000475	396	4'-0"	6'-3"	17"
1000495	412	5'-4"	4'-0"	10"/19"
1000540	450	4'-0"	7'-0"	17"
1000540	450	4'-0"	6'-9"	10"/19"
1000615	512	4'-0"	7'-9"	17"
1000680	567	4'-0"	8'-6"	17"
1000685	570	5'-1"	5'-4"	17"
1000755	629	5'-4"	5'-9"	10"/24"
1000805	671	4'-0"	9'-11"	10"/19"
1000905	754	5'-4"	6'-9"	10"/19"
1000950	792	5'-4"	7'-3"	17"
1001000	833	7'-2"	4'-8"	10"/19"
1001050	875	5'-1"	8'-6"	17"
1001080	900	7'-8"	5'-0"	17"
1001090	908	5'-1"	8'-6"	17"
1001100	917	6'-1"	6'-10"	17"

PLASTICS AMERICA VERTICAL TANKS - HDXLPE

1001150	958	5'-4"	8'-2"	10"/19"
1001250	1042	7'-0"	6'-0"	17"
1001300	1083	7'-8"	5'-6"	17"
1001300	1083	7'-1"	5'-10"	10"/19"
1001350	1125	7'-5"	5'-5"	19"
1001400	1167	7'-5"	6'-3"	17"
1001400	1167	5'-4"	10'-0"	10"/19"
1001450	1208	7'-2"	6'-2"	10/16/22"
1001550	1292	5'-1"	11'-9"	17"
1001700	1417	6'-1"	9'-7"	17"
1001700	1417	8'-0"	6'-2"	24"
1001950	1625	5'-4"	13'-5"	10"/19"
1002000	1667	7'-5"	7'-5"	19"
1002000	1667	7'-1"	8'-6"	24"
1002250	1875	8'-0"	7'-9"	24"
1002400	2000	6'-1"	12'-8"	19"
1002500	2083	8'-0"	8'-2"	24"
1002550	2125	7'-1"	10'-4"	24"
1002650	2208	8'-0"	8'-9"	24"
1002750	2292	8'-2"	9'-4"	24"
1002800	2333	10'-0"	6'-11"	24"
1002850	2375	7'-6"	10'-7"	24"
1003000	2500	6'-1"	15'-7"	19"
1003000	2500	7'-1"	11'-8"	24"
1003650	3042	10'-2"	8'-5"	24"
1003850	3208	10'-2"	8'-6"	24"
1003900	3250	7'-10"	12'-9"	24"
1004050	3375	8'-2"	12'-10"	24"
1004050	3375	8'-6"	11'-5"	19"
1004150	3458	8'-6"	12'-6"	24"
1004250	3542	11'-11"	7'-0"	24"
1004400	3667	9'-0"	11'-4"	24"
1004900	4083	12'-0"	8'-1"	24"
1004925	4104	9'-0"	11'-11"	24"
1005050	4208	7'-10"	16'-0"	24"
1005100	4250	10'-0"	10'-10"	24"
1005300	4417	9'-2"	12'-10"	24"
1006100	5083	10'-0"	12'-8"	24"
1006100	5083	8'-6"	16'-4"	24"
1006150	5125	10'-2"	12'-4"	24"
1006600	5500	14'-0"	9'-1"	24"
1006600	5500	11'-11"	10'-1"	24"
1007000	5833	10'-0"	13'-9"	24"
1007100	5917	12'-0"	10'-11"	24"
1007300	6083	10'-2"	14'-2"	24"
1007900	6583	12'-0"	11'-11"	24"
1008000	6667	9'-2"	18'-6"	24"
1008050	6708	10'-0"	15'-8"	24"
1008200	6833	11'-11"	11'-11"	24"
1008500	7083	10'-0"	16'-9"	24"
1009100	7583	12'-0"	12'-11"	24"
1009200	7667	10'-0"	17'-8"	24"
1010300	8583	12'-0"	14'-4"	24"
1010300	8583	11'-11"	14'-6"	24"
1012150	10125	12'-0"	16'-8"	24"
1012250	10208	11'-11"	17'-1"	24"
1014950	12458	14'-0"	16'-10"	24"

\* Contact us for details & pricing.